


# Product sheet



LIVING NOW BTICINO

Living Now - 4 modules cover plate, OPTIC

REF. BT-KA4804MM | EAN. 8005543620519

[> Visit e-catalogue](#)

## Product characteristics

- Extreme purity of the design and precision of geometries  
Living Now has a unique shape, compact, distinctive.
- Innovative design : perfect flatness of the switch thanks to a self - centering system of the covers that allows the controllers to always remain aligned to the plate, even after multiple drives.
- Floating Frame : a flexible frame, placed on the back of the cover plate, free to move on the four corners, ensuring an optimal installation. Thanks to the floating frame, Living Now seems fluctuating on the wall.
- 4 modules, inmoulded technopolymer, OPTIC finish
- Delivered with dedicated packaging to maintain the aesthetic characteristics unaltered

## Recommendation / Restriction

- For internal use only.

## The product's benefits

### Installation

- The Living Now cover plate is equipped with a flexible frame, placed on the back of the plate, free to move on the four corners, ensuring an optimal installation.

### Usage

- Innovative Design: unique and compact shape that, once completed with the covers, gives the switch an absolute flatness. The solutions with graphics play with metallic reflections and three-dimensional effects.

### Avantages

- Innovative Design: unique and compact shape that, completed with the covers, gives the switch an absolute flatness
- Floating frame: a flexible frame, placed on the back of the plate, free to move on the four corners, which guarantees an optimal installation by masking the imperfections of the wall or in the case of plasterboard boxes.
- The separation between the aesthetic and functional parts allows to finish the installation in a workmanlike manner avoiding scratches or dirtying

## Documentation

TECHNICAL DOCUMENTATION

CAD & Design specs / BIM

BIM-BTICINO-LIVING-NOW-2024-ANGLAIS.rvt | RVT (151.39Mo)

 F02845EN-01.pdf | PDF (0.59Mo)

## Agreements & Certificates

 AENOR-030/002589 | (0.29Mo)